Digital Tachometers

CEM www.cem-meter.com.cn

AT-6 Digital Tachometer

AT-6 Digital Tachometer provides fast and accurate Non-contact RPM and TOT measurements of rotating objects. Using reflective tape on object to be measured and pointing the laser.





Fast and accurate RPM and surface speed measurements. 6234B Digital Tachometers provides fast and accurate Non-contact RPM and surface speed measurements of rotating objects. Using reflective tape on object to be measured and pointing the integral light beam or laser. 6236B contact Tachometer combines both contact and non-contact models for use in all applications.

- Large 5 digit LCD display is easy to read.
- Autoranging with 0.05% accuracy
- · Built-in memory recalls last Max/Min value stored

Features		
	6234B	6236B
Large 5 digit LCD display		
Autoranging with 0.05% accuracy		
Built-in memory recalls last Max/Min value stored		
Non-contact measurement		
Contact measurement		

Specifications			
	6234B	6236B	
Display Counts	99,999 counts LCD	99,999 counts LCD	
Range RPM	2.5 to 99,999	5 to 99,999	
M/min		0.05 to 1999,9	
Basic Accuracy	±0.05%±1d	±0.05%±1d	
Max RPM Resolution	0.1RPM	0.1RPM	

Size(HxWxD): 160mm x 72mm x 37mm

Weight: 200g

Accessories:

6236B: Cone, RPM sensor tip, Surface speed wheel, Four 1.5V "AA" batteries, Gift box with carrying case.

6234B: Reflective tape, Four 1.5V "AA" batteries, Gift box with carrying case.

Features		
Display	Large 5 digit LCD display	
Accuracy	±0.05%±1d	
RPM Range	2 to 99,999	
Max RPM Resolution	0.1RPM	
TOT Range	0-99,999	
Memory	Built-in memory recalls Max/Min/Last	

Size(HxWxD): 160mm x 60mm x 42mm

Weight: 151g

Accessories:

9V battery and Gift box with carrying case.







EN: 61326



-2008



Contact/Laser Photo



Model 6236B